

EPS HEP 2013 Stockholm



HEP 2013
Stockholm
18-24 July 2013



Abstract ID : 128

Results from Step I of MICE and the Physics Plan for Step IV

Content :

The Muon Ionisation Cooling Experiment (MICE) will demonstrate ionisation cooling, an essential technology for a Neutrino Factory and/or Muon Collider, by measuring a 10% reduction in emittance of a muon beam. A realistic demonstration requires beams closely resembling those expected at the front-end of a Neutrino Factory, i.e. with large transverse emittance and momentum spreads. The MICE muon beam line at ISIS, RAL, was built to provide beams of different momenta and emittance so that the performance of the cooling channel can be fully explored.

During the initial stage of MICE, a novel technique based on time-of-flight counters was used to establish that the beam emittances are in the range 0.7--2.8 mm-rad, with central momenta from 170--280 MeV/c, and momentum spreads of about 20 MeV/c. These beams will be increased by means of scattering from high-Z material in the next stage of MICE and measured using magnetic spectrometers. Finally, low-Z absorbers such as liquid hydrogen and LiH will be used to reduce the emittance of the beam. The physics program of this step of MICE will be discussed, including all stages necessary for a first demonstration of ionisation cooling.

Primary authors : Prof. PALLADINO, Vittorio (Universita e INFN (IT))

Co-authors :

Presenter :

Track classification : Accelerators

Contribution type : Talk presentation

Submitted by : Prof. PALLADINO, Vittorio

Submitted on Friday 05 April 2013

Last modified on : Friday 05 April 2013

Comments :

Abstract submitted by the chair of the MICE speakers bureau. If accepted, a member of the collaboration will be selected for the mission